



After your MRI contrast/dye injection

You have been given an injection of MRI contrast/dye to help highlight the area of interest on your magnetic resonance scan.

A reaction to the contrast/dye is extremely rare. However, if a reaction does occur, this usually happens shortly after the injection. These effects are usually very mild and do not last long.

A reaction may show itself as one of the following:

- nausea and/or vomiting
- headache
- dizziness
- pain, coldness or warmth around the injection site

Other effects may occur such as:

- skin rash, lumps, itchy spots or other allergic symptoms
- abdominal discomfort
- swelling or tenderness of your salivary glands on your throat
- shortness of breath
- wheeziness, difficulty in breathing or tightness or pain in the chest
- coughing or sneezing.

It is important to stay well hydrated following the contrast injection to help flush the contrast/dye out of your system fully. We advise drinking between 2-3 litres of water over the next 24 hours.



© 2023 The Christie NHS Foundation Trust. This document may be copied for use within the NHS only on the condition that The Christie NHS Foundation Trust is acknowledged as the creator.

After your MRI contrast/dye injection

You have been given an injection of MRI contrast/dye to help highlight the area of interest on your magnetic resonance scan.

A reaction to the contrast/dye is extremely rare. However, if a reaction does occur, this usually happens shortly after the injection. These effects are usually very mild and do not last long.

A reaction may show itself as one of the following:

- nausea and/or vomiting
- headache
- dizziness
- pain, coldness or warmth around the injection site

Other effects may occur such as:

- skin rash, lumps, itchy spots or other allergic symptoms
- abdominal discomfort
- swelling or tenderness of your salivary glands on your throat
- shortness of breath
- wheeziness, difficulty in breathing or tightness or pain in the chest
- coughing or sneezing.

It is important to stay well hydrated following the contrast injection to help flush the contrast/dye out of your system fully. We advise drinking between 2-3 litres of water over the next 24 hours.



Contacts:

If you experience any of the symptoms listed within 24 hours of the MR contrast injection, please contact the department where your injection was administered on one of the numbers below:

...... Radiology department - on 0161 918 2525
(Cross-sectional radiographer), Monday to Friday, 8:45am - 5:00pm
...... Proton beam therapy unit on 0161 918 7577 / 1195
Monday to Friday, 8:00am - 6:00pm
...... MR- Linac department on 0161 446 8468
Monday to Friday, 8.00am - 4.00pm

Outside these hours: Contact your GP or NHS 111. If symptoms become severe, or last more than a few days, contact your GP or A&E as treatment maybe needed.

If you need information in a different format, such as easy read, large print, BSL, braille, email, SMS text or other communication support, please tell your ward or clinic nurse.

The Christie is committed to producing high quality, evidence based information for patients. Our patient information adheres to the principles and quality statements of the Information Standard. If you would like to have details about the sources used please contact **the-christie.patient.information@nhs.net**

For information and advice visit the cancer information centres at Withington, Oldham, Salford or Macclesfield. Opening times can vary, please check before making a special journey.

Contact The Christie Hotline for urgent support and specialist advice

The Christie Hotline: 0161 446 3658 Open 24 hours a day, 7 days a week

Contacts:

If you experience any of the symptoms listed within 24 hours of the MR contrast injection, please contact the department where your injection was administered on one of the numbers below:

...... Radiology department - on 0161 918 2525
(Cross-sectional radiographer), Monday to Friday, 8:45am - 5:00pm
...... Proton beam therapy unit on 0161 918 7577 / 1195
Monday to Friday, 8:00am - 6:00pm
...... MR- Linac department on 0161 446 8468
Monday to Friday, 8:00am - 4:00pm

Outside these hours: Contact your GP or NHS 111. If symptoms become severe, or last more than a few days, contact your GP or A&E as treatment maybe needed.

If you need information in a different format, such as easy read, large print, BSL, braille, email, SMS text or other communication support, please tell your ward or clinic nurse.

The Christie is committed to producing high quality, evidence based information for patients. Our patient information adheres to the principles and quality statements of the Information Standard. If you would like to have details about the sources used please contact **the-christie.patient.information@nhs.net**

For information and advice visit the cancer information centres at Withington, Oldham, Salford or Macclesfield. Opening times can vary, please check before making a special journey.

Contact The Christie Hotline for urgent support and specialist advice

The Christie Hotline: 0161 446 3658 Open 24 hours a day, 7 days a week